



Good Looks That Last

# MATERIAL SAFETY DATA SHEET

MANUFACTURER: SISSONS PAINTS LIMITED

PRODUCT: SUPER EXTERIOR FILLER

---

## I. COMPOSITION / INGREDIENTS

### *Raw Materials*

A blend of cement (compounds of Calcium silicate and Calcium aluminate plus gypsum), calcium magnesium carbonate, and additives.

## II. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Powder.
Colour	Grey - Green
Boiling Point Range	N/A
Pounds/Gallons	N/A
Volatile Organic Content (VOC)	N/A
Flash Point (Seta flash)	N/A

---

## III. FIRE AND EXPLOSION HAZARD INFORMATION

Flammable Liquid	Not flammable and will not facilitate combustion with other materials.
------------------	--



**ANSAL**  
GROUP OF COMPANIES

---

The Information contained herein is given in good faith but no warranty, expressed or implied is made. Sissons Paints would not be liable for any damages, losses or injuries, which may result from the use of or reliance of the information, contained herein. This MSDS is valid for five (5) years.

MSDS No: 10/052/01  
Page 1 of 3  
Rev: 3  
Date Issued:2010/08/17



Good Looks That Last

## MATERIAL SAFETY DATA SHEET

### IV. HEALTH HAZARD INFORMATION

Effects of Overexposure:

Inhalation

If irritation occurs, move to fresh air. If nose or airways become inflamed seek medical advice.

Eye Contact

Wash eyes immediately with plenty of clean water for at least 15 minutes and seek medical advice without delay.

Skin Contact

Wash affected areas thoroughly with soap and water before continuing. If irritation, pain or other skin trouble occurs, seek medical advice. Clothing contaminated by wet filler should be removed and washed thoroughly before use

If Ingested

Do not induce vomiting. Wash out mouth with water and give patient plenty of water to drink.

---

### V. SPILL OR LEAK PROCEDURES

Steps to be taken if Material is Spilled

Recover the spillage in a dry state if possible. Minimize generation of airborne dust. The product can be slurried by the addition of water but will subsequently set as a hard material. Keep children and animals away from clean up operation.



**ANSA METAL**  
GROUP OF COMPANIES

---

The Information contained herein is given in good faith but no warranty, expressed or implied is made. Sissons Paints would not be liable for any damages, losses or injuries, which may result from the use of or reliance of the information, contained herein. This MSDS is valid for five (5) years.

MSDS No: 10/052/01  
Page 2 of 3  
Rev: 3  
Date Issued:2010/08/17



Good Looks That Last

## MATERIAL SAFETY DATA SHEET

### VI. SAFE HANDLING AND USE INFORMATION

Respiratory Protection

Suitable respiratory protection to avoid inhaling dust whilst mixing.

Eye Protection

Dust-Proof goggles should be worn whenever There is a risk of powder or any water mixed paste entering the eye.

### VII. OTHER PRECAUTIONS

Precautions to be taken in Handling and Storing

Store in a cool, dry place. Unused portion should be kept airtight.



---

The Information contained herein is given in good faith but no warranty, expressed or implied is made. Sissons Paints would not be liable for any damages, losses or injuries, which may result from the use of or reliance of the information, contained herein. This MSDS is valid for five (5) years.