



Good Looks That Last

MATERIAL SAFETY DATA SHEET

Flash Point (Setaflash)

N/A

Aqueous dispersion will not burn. Dried film is combustible.



ansa metal
GROUP OF COMPANIES

III. FIRE AND EXPLOSION HAZARD INFORMATION

Flammable Liquid

N/A

Extinguishing Media

Water, foam, Carbon Dioxide or dry powder.

Usual Fire and Explosion Hazards

Aqueous dispersion will not burn. Dried film is combustible

IV. HEALTH HAZARD INFORMATION

Effects of Overexposure:

Inhalation

Irritation of the respiratory tract. If you experience difficulty in breathing, leave the area to obtain fresh air. If continued difficulty is experienced, summon medical assistance immediately.

Eye Contact

Flush immediately with water for several minutes. Seek medical assistance if irritation persists.

Skin Contact

Wash affected areas with soap and water. Remove contaminated clothing. If irritation persist seek medical advice.

If Ingested

Administer plenty water. Consult a physician

V. SPILL OR LEAK PROCEDURES

The Information contained herein is given in good faith but no warranty, expressed or implied is made. Sissons Paints would not be liable for any damages, losses or injuries, which may result from the use of or reliance of the information, contained herein. This MSDS is valid for five (5) years.



Good Looks That Last

MATERIAL SAFETY DATA SHEET

Steps to be taken if Material is Spilled Remove all sources of ignition (flames, hot surfaces, electrical). Prevent breathing of vapours. Ventilate area. Contain spilled material and remove with inert absorbent non-sparking tools. Store in closed container.



ansa metal
GROUP OF COMPANIES

VI. SAFE HANDLING AND USE INFORMATION

Respiratory Protection	Do not breathe vapours.
Ventilation	Eliminate all ignition sources.
Protective Gloves	Do not get on skin. Solvent impermeable gloves to prevent skin contact are recommended.
Eye Protection	Do not get in eyes. Solvent resistance safety eye wear with splash guards or side shields is recommended.
Other Protective Equipment	Solvent impermeable clothing and boots to prevent skin contact are recommended.

VII. OTHER PRECAUTIONS

Precautions to be taken in Handling and Storing	Keep away from heat, sparks and flames. Do not smoke. Extinguish all pilot lights and turn off all sources of ignition and all other non-explosion proof electrical equipment. Do not store above 120 ⁰ F or near fire or open flames.
---	---

The Information contained herein is given in good faith but no warranty, expressed or implied is made. Sissons Paints would not be liable for any damages, losses or injuries, which may result from the use of or reliance of the information, contained herein. This MSDS is valid for five (5) years.



Good Looks That Last

MATERIAL SAFETY DATA SHEET



ansa mcAL
GROUP OF COMPANIES

The Information contained herein is given in good faith but no warranty, expressed or implied is made. Sissons Paints would not be liable for any damages, losses or injuries, which may result from the use of or reliance of the information, contained herein. This MSDS is valid for five (5) years.

MSDS No:01/050/01
Page 4 of 3
Rev: 3
Date Issued:2010/08/18